

Applications of Internet Data


Is our data good enough?

Christian Teuschel | September 2016 | iWeek

The Trend to More Data



- RIPEstat usage grew by 1600% (2011 2016)
- https://stat.ripe.net



Last week...



- …I went to the IPv6 Day in Tel Aviv
- What is the IPv6 deployment in Israel?

Measurement Types



- Passive Measurements
 - Registry data
 - Routing Information System (RIS)



Active Measurements

- APNIC Google ad measurements

0.8%

- Google IPv6
- Cisco IPv6
- Maxmind IPv6 geolocation
- Alexa



Overview of Internet Data



- Three basic layers of Internet Data
 - Registry data
 - Routing data
 - Flow data

Registry Data



- Whois
- Maintained by the RIRs




- Public and private part of registry
- RIPE NCC: 14000+ members

Registry Data



Application of registry data




https://stat.ripe.net/widget/abuse-contact-finder

Routing Data



RIS


- The RIPE NCC has been collecting BGP information since 1999
- 18 collectors
- 160+ full-feed peers
- http://ris.ripe.net



Routing Data



Application of RIS data



https://stat.ripe.net/SY#tabld=routing

Flow Data




- RIPE Atlas
- Largest network for Internet measurements
- 9000+ probes
- 50000+ networks on the Internet (measured with RIS)
- Coverage: ~ 6% of all IPv4 networks

Flow Data



Application of Atlas data





Discussion Questions



christian.teuschel@ripe.net @cteuschel