-6.693:3080 08.51.100.14 35000:13be W 3:19:52:80:119 1:2209:5030 3008:109b

Tools for Measurements & Analysis

Daniel Karrenberg Chief Scientist





Today's Topics

RIPEstatRIPE Atlas




- "Numbers are Us": IPv4/IPv6 Addresses, ASNs
- Modular & Extendable Toolbox
- "stat" means
 - Statistics (time, aggregation, zoom)
 - Status (real time, aggregation, zoom)
- Beta(!) launched last month: stat.ripe.net
- Eventually to replace most measurement tools




























```
MSK-IX, Moscow (RRC13)
 39792 31261
   193.232.244.136 from 193.232.244.136 (81.91.177.8)
     Origin IGP, localpref 100, valid, external, best
     Last update: Thu Jun 2 22:47:26 2011
 6723 31500 31261
   193.232.244.171 from 193.232.245.134 (193.232.245.134)
     Origin IGP, localpref 100, valid, external
     Last update: Fri Jun 3 19:11:32 2011
 39821 31261
   193.232.244.160 from 193.232.244.15 (89.107.120.1)
     Origin IGP, localpref 100, valid, external
     Last update: Thu Jun 2 18:16:17 2011
 28917 31261
   193.232.244.147 from 193.232.244.147 (10.0.0.10)
     Origin IGP, localpref 100, valid, external
     Community: 28917:2000
     Last update: Thu Jun 2 13:32:40 2011
 3267 31500 31261
   193.232.244.44 from 193.232.244.44 (193.232.80.3)
     Origin IGP, metric 0, localpref 100, valid, external
     Last update: Wed Jun 1 06:59:02 2011
Showing 1 to 5 of 14 entries
                                                               Show only first entry
```











The current top queries

- _ 1.2.3.4/22
- _ AS286
- _ AS36935
- _ 193.0.0.0/24
- _ 144.15.240.0/24
- _ AS15169
- AS786
- _ AS3265
- _ 219.104.0.0/16
- _ AS3320

Your latest queries

- _ 93.191.16.0/21
- _ AS31261
- _ as3265
- _ 25192
- _ 2001:678:f::/48
- _ 85.55.32.0/19
- _ 93.191.20.2
- _ as1267
- _ AS9143
- _ 109.32.37.109

News

- _ 5th Public Demo
- Egyptian Network Outage
- Japanese Earthquake

help I access stats I server status I changelog



RIPEstat Strategy

- Immutable, sharable URLs for each result
- Add more history
- Multiple output formats (command line tool?)
- Eventually integrate current RIPE NCC tools

RIPEstat Regular Public Demos

- Modular design --> agile development
- We demo new functionality every 4 weeks
 - we receive comments and feedback
- We monitor usage, ... and you can too
- Based on usage and feedback we will adjust
- You get the tools you deserve: get involved!

Please do not consider the demos as finished!

News

- 5th Public Demo
- Egyptian Network Outage
- Japanese Earthquake

RIPEstat Development

- Introduction to Demos
- _ 25 January 2011 HD SD
- _ 22 February 2011 HD SD
- _ 22 March 2011 HD SD
- _ 19 April 2011 HD SD
- _ 17 May 2011 HD SD
- _ 14 June 2011
- _ 12 July 2011
- 9 August 2011
- 6 September 2011
- 4 October 2011
- _ 1 November 2011
- _ 29 November 2011
- 27 December 2011

Today's Topics

•RIPEstat

RIPE Atlas



Introduction

RIPE Atlas:

- There are many Atlases, this is RIPE Atlas
- next generation Internet measurement network
 - To scale to thousands of measurement nodes
 - Potentially "be everywhere" and ready to run different measurements
 - Started last November, we're still just building it and exploring possibilities




Light Map of Europe





Intuition: 10k Probes & 1 AS





Ambitious Community Effort

Instead of building small, separate, individual & private infrastructures, build a

huge common infrastructure that serves *both* the private goals and the community goals.



Ambitious Community Effort


- Individual Benefits
 - -Less expensive than rolling your own
 - -More vantage points available
 - -More data available
- Community Benefits
 - -Unprecedented situational awareness
 - -Wealth of data, ...



Intuition -> Plan

- For accurate maps we need more probes
- Deploying very many TTM boxes too expensive
- Smaller probes
- Easily deployable
- USB powered
- 24 x 365 capable







Probe Deployments










Versions

- Version 0
 - Ping to fixed targets (IPv4 & IPv6) ✓
 - Traceroute to 1st two upstream hops ✓
- Version 1
 - Ping & Traceroute to variable targets
 - DNS queries to variable targets
- Version 2
 - Your ideas?
- A non-goal: performance measurements



Probes Deployed Today






Probes Deployed Today



Probes Deployed Today



Hosting = Credits = Measurements

We cannot be everywhere without your help

Become a probe host!

- Donate a fraction of your bandwidth
- Donate a very small amount of electricity

You get:

- Recognition
- Access to fixed measurements from your probe
- Credits = Measurements from any probe (Q3/11)



Sponsorship = Credits = Measurements

Credits – a "measurement ecosystem"?

- Hosting a probe or sponsoring will earn you credits
- Scheduling your own measurements will cost credits
 - Simpler measurements are cheaper
 - More complex or more frequent measurements cost more



What you see is what you get




Home | My probes | Logged in: RIPE Atlas | Change password | Log out



About RIPE NCC | Service Announcements | Site Map | LIR Portal | About RIPE | Contact | Legal | Copyright Statement




What you see is what you get






How we see labs.ripe.net (IPv4 RTT)





How we see labs.ripe.net (IPv4 RTT)





Sponsorship = Credits = Measurements

- 50k probes too expensive for RIPE NCC alone
- Sponsorship Plans:

. .

64K € 256 probes

- Recognition and many more credits
- Access to fixed measurements from probes now
- Credits = Measurements from any probe (Q3/11)



Sponsorship = Credits = Measurements

- 50k probes too expensive for RIPE NCC alone
- Sponsorship Plans:

```
that is 2048€2K € 8 probes

4K € 16 probes

geek compatible pricing<sup>SM</sup> ...

64K € 256 probes
```

- Recognition and many more credits
- Access to fixed measurements from probes now
- Credits = Measurements from any probe (Q3/11)



Measurement nodes – "Probes"

- Probe (v1 / generation 1):
 - Lantronix XPortPro
 - Very low power usage
 - -8MB RAM, 16MB flash
 - Runs uClinux
 - No FPU, no MMU, virtually no UI
 - A reboot costs <15 (<5) seconds
 - An SSH connection costs ~30 seconds
 - We can remotely update the firmware
 - Form factor of the finished probe is "just right"





RIPE Atlas - Security aspects

- Probes have hardwired trust material (registration server addresses / keys)
- The probes don't have any open ports, they only initiate connections
 - This works fine with NATs too
- Probes don't listen to local traffic, there are no passive measurements running
 - There's no snooping around



Today's Topics

RIPEstatRIPE Atlas

RIPE NCC Measurement Tools

- Tools for YOU
- Please support us by
 - Using the tools
 - Giving us feedback and ideas
 - Telling your friends about them
 - Finding sponsors for RIPE Atlas

Questions?



