



RIPE NCC
RIPE NETWORK COORDINATION CENTRE

Large Scale Internet Measurement Infrastructures

Challenges and Opportunities

Emile Aben | 2018-11 | Internet Conference

Key Internet Statistics




- Size: 510,072,000 km²
- Population: 4,208,571,287 (55.2% of world)
- Addresses:
 - IPv4: 4,294,967,296 (many unusable)
 - IPv6: 340,282,366,920,938,463,463,374,607,431,768,211,456
- Subunits:
 - Networks (ASNs): 62,408
 - IPv4 prefixes: 692k - 752k
 - IPv6 prefixes: 56k - 62k

How is it all Interconnected?



- Large vs small networks
 - AS4143 (106,187,232 IPv4 addresses)
 - 15,099 networks announcing a /24 (256 IPv4 addresses)
- Types of networks (user, content, transit, ...)
- Means of interconnect: direct or IXP



Why do we Measure?



- "That which is measured improves. That which is measured and reported improves exponentially." -- Karl Pearson



What is RIPE NCC?






RIPE Atlas



Leaflet | Tiles © Esri — Esri, DeLorme, NAVTEQ, TomTom, Intermap, iPC, USGS, FAO, NPS, NRCAN, GeoBase, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), and the GIS User Community



Leaflet | Tiles © Esri — Esri, DeLorme, NAVTEQ, TomTom, Intermap, iPC, USGS, FAO, NPS, NRCAN, GeoBase, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), and the GIS User Community

RIPE Atlas



RIPE Atlas – Wikipedia, the free encyclopedia

Becha Talk Sandbox Preferences Beta Watchlist Contributions Log out

Article Talk Read Edit source Edit More Search

RIPE Atlas

From Wikipedia, the free encyclopedia

RIPE Atlas is a global, open, distributed Internet measurement platform, consisting of thousands of measurement devices that measure Internet connectivity in real time.

Contents [hide]

- [1 History](#)
- [2 Technical details](#)
- [3 Community](#)
- [4 Research papers](#)
- [5 Similar projects](#)
- [6 References](#)
- [7 External links](#)
- [8 Categories](#)



What is RIPE Atlas?



- Goal: Improve Internet through measurements
- Probes hosted by volunteers
 - “For the community, by the community”
- Data publicly available

<https://atlas.ripe.net/>

RIPE Atlas Probes



- Regular probes (version 1,2,3)
 - Small form factor boxes
- RIPE Atlas anchors
 - 1U servers (Soekris)
- New: Virtual Anchors



Most Popular Features



- Six types of measurements: ping, traceroute, DNS, SSL/TLS, NTP and HTTP (to anchors)
- APIs and CLI tools to start measurements and get results
- Built-in Measurements
 - DNS Root servers
 - Probes to Anchors
- User-Defined Measurements
 - Probe owners can schedule, not only on their own probes!



RIPE RIS

Internet “Air Traffic Control”



- BGP makes Interdomain routing work
- Border routers: Routers that receive explicit routing information for all of the Internet
- How do we monitor this “air traffic control”?
- Listen in on this “chatter” at interesting places in the Internet?

Routing Data (RIS)



- 20 BGP collectors
- 600+ peers (150+ “full-feed”)
- Most at IXPs



Example RRC06



RRC06 -- DIX-IE, Tokyo, Japan -- Peer List

Status	ASN	Description	Address	IPv4 prefixes	IPv6 prefixes
Up	AS42	WOODYNET-1 - WoodyNet	202.249.2.183	69	0
Up	AS2497	IIJ Internet Initiative Japan Inc.	2001:200:0:fe00::9c1:0	0	56653
Up	AS2497	IIJ Internet Initiative Japan Inc.	202.249.2.169	721553	0
Up	AS3856	PCH-AS - Packet Clearing House	202.249.2.184	1	0
Up	AS4777	APNIC-NSPIXP2-AS Asia Pacific Network Information Centre	2001:200:0:fe00::12a9:0	0	56717
Up	AS4777	APNIC-NSPIXP2-AS Asia Pacific Network Information Centre	202.249.2.20	726451	0
Up	AS25152	K-ROOT-SERVER - Reseaux IP Europeens Network Coordination Centre (RIPE NCC)	2001:200:0:fe00::6249:0	0	59300
Up	AS25152	K-ROOT-SERVER - Reseaux IP Europeens Network Coordination Centre (RIPE NCC)	202.249.2.185	735164	0

IPv4 full tables: 3

IPv6 full tables: 3

Total peerings: 8

Data source time: 2018-11-14T08:00:00

<http://www.ris.ripe.net/peerlist/rrc06.shtml>



Challenges and Opportunities



RIPE Atlas Bias

Collaborator: Petros Gigis, George Michaelson

Challenge: How biased is RIPE Atlas



- Opportunistic distribution of Internet vantage points
- Intuitively biased towards: netops, techie, Europe
- Can we measure this bias?
 - Identify redundancies - i.e. multiple probes with very similar view of the Internet
 - Identify where probes are missing

Challenge: RIPE Atlas Bias



Coverage

IPv4 ASNs covered

3555 (5.676%)

IPv6 ASNs covered

1439 (8.944%)

Number of countries covered

180 (91.837%)


ASN (v4)	Probes	ASN (v6)	Probes	Prefix (v4)	Probes	Prefix (v6)	Probes	Country	Probes
3320	341	6939	250	73.0.0.0/8	130	2001:470::/32	249	Germany	1411
7922	341	3320	247	79.192.0.0/10	61	2003::/19	247	United States of America	1131
6830	317	7922	194	87.128.0.0/10	52	2601::/20	174	France	857
3215	223	3215	138	84.128.0.0/10	50	2a01:e00::/26	100	United Kingdom	597
12322	210	12322	116	78.192.0.0/11	46	2002::/16	45	Netherlands	535
3265	103	3265	96	93.192.0.0/10	45	2a02:908::/33	38	Russia	463
701	94	6830	73	91.0.0.0/10	44	2001:980::/29	36	Italy	288
31334	87	8881	57	83.160.0.0/14	36	2001:8b0::/32	35	Switzerland	273
33915	81	31334	51	88.176.0.0/12	35	2001:980::/32	34	Czechia	259
5089	78	20712	37	109.190.0.0/16	34	2a02:a000::/26	34	Canada	222

<https://atlas.ripe.net/results/maps/network-coverage/>

Opportunity: Probes vs Eyeballs



http://sg-pub.ripe.net/petros/population_coverage/country.html?name=JP



http://sg-pub.ripe.net/petros/population_coverage/country.html?name=KR



RIPE Atlas Vantage Point Selection

Collaborators: Thomas Holtenbach, Cristel Pelsser, Randy Bush, Laurent Vanbever

Challenge: Where to Measure From?




- 10k RIPE Atlas probes
- Select by: Country, ASN
- 10 probes from Uruguay vs. 10 probes from Ukraine?
- Other ways to find diversity/uniformity in measurement sources?

Probe Similarity



- How (dis)similar are RIPE Atlas vantage points?
- Goal: Optimise what you discover with as little vantage points as possible
- Means: Pairwise similarity metric




Probe Similarity



- 25% more IPs seen when picking dissimilar probes vs default
- Other similarities:
 - DNS similarity
 - RTT
 - Outages (physical infrastructure/electricity)

10% of probes have
“identical IPv4 twin(s)”





RIPE Atlas Bulk Data Analysis

Collaborator: Petros Gigis

Bulk Data Downloads



	traceroute-2018-11-25T0000.bz2	26-Nov-2018 05:55	628M
	traceroute-2018-11-25T0100.bz2	26-Nov-2018 05:53	626M
	traceroute-2018-11-25T0200.bz2	26-Nov-2018 05:53	629M
	traceroute-2018-11-25T0300.bz2	26-Nov-2018 05:53	626M
	traceroute-2018-11-25T0400.bz2	26-Nov-2018 05:53	631M
	traceroute-2018-11-25T0500.bz2	26-Nov-2018 05:53	628M

https://labs.ripe.net/Members/petros_gigis/announcing-daily-ripe-atlas-data-archives


<https://data-store.ripe.net/datasets/atlas-daily-dumps>

Challenge: Big Data Analysis




- Using all of RIPE Atlas traceroutes
- What's the bias?

Connectivity between reliable source-destination pairs
as seen in RIPE Atlas traceroutes



Large IXP Outages



<https://labs.ripe.net/Members/emileaben/does-the-internet-route-around-damage>

<https://labs.ripe.net/Members/emileaben/does-the-internet-route-around-damage-in-2018>

Counteracting Bias



Infrastructure	Date	Sources (RIPE Atlas probes)	Destinations (IP addresses)	Source-Destination pairs (Internet paths)
AMS-IX	2015-05-12	3,289	753	14,431

- Useful step up from many other analysis already
 - but not enough!
- Challenge: per AS / per eyeballs / per IXP member share / Other?




RIPE Atlas: Traceroute IP Geolocation

In collaboration with CAIDA

Challenge: IP Geolocation



- Often thought of as a “solved problem”
- Edge geolocation is generally “ok”
- Infrastructure (routers, servers) IP geolocation much worse than edge



Opportunity: IPmap



- IPmap: collaborative approach to IP geolocation: <https://ipmap.ripe.net/>
- Multiple ‘engines’, e.g.
 - Crowdsourcing
 - RTT triangulation with RIPE Atlas
 - Anycast
- Open challenge: How to best combine multiple engine results?



RIPE Atlas: Interconnect with a Region

Collaborators: Petros Gigis, Daniele Arena, George Michaelson

Opportunity: Characterise Interconnect




- Does Internet traffic stay local?
 - default: local = within country borders
 - other: sets of countries, cities, custom sets of probes
- Do IXPs help?
- IXP-country-jedi is a measurement method and set of visualisations that provide insight

<https://www.ripe.net/ixp-country-jedi>


Opportunity: ixp-country-jedi




- Mesh of traceroutes within a country
- Example viz: IXP-country matrix
 - green: stays in country



Albania




Ireland




Japan


IXP-country-jedi: Geo Viz



Albania




Ireland





Japan

IXP-country-jedi: Geo Viz




Albania



Japan


How Are End Users Interconnected?



How Are End Users Interconnected?




Belgium




How Are End Users Interconnected?



Belgium



How Are End User Interconnected?



<http://sg-pub.ripe.net/ixp-country-jedi/jp/2018/10/01>



RIPE Atlas: Ethics in Measurement

Ethical Design Decisions



- Low, cheap barrier of entry
- Active measurements only
 - No passive measurements
 - Probes do not observe user traffic
- Data, API, source code, tools: free and open
- Set of measurement types limited
 - In order to prevent putting probe hosts at risk

<https://www.ripe.net/about-us/press-centre/publications/presentations/2017/ethics-in-technology-nluug-najaar-2017>

<https://fosdem.org/2017/interviews/vesna-manojlovic/>

Ongoing Moral Dilemmas




- 2013: Opening-up source code
- 2014: Keeping “non-public” measurements
- 2015: Not allowing HTTP measurements to random targets
- 2016: Security audit and pen-testing

Strong Community Involvement



- Active mailing list (ripe-atlas@ripe.net)
 - Passionate discussions
- HTTP measurements only towards RIPE Atlas anchors
 - <https://labs.ripe.net/Members/kistel/ethics-of-ripe-atlas-measurements>
- Responsible disclosure (bug reports)






RIPE Atlas: DNS Characterisation

Willem Toorop


Opportunity: DNS resolution



- NLNetLabs project: DNSThought
- Started at a hackathon we organised



Top EDNS Client Subnet masks



<https://indico.dns-oarc.net/event/29/contributions/654/attachments/633/1041/dnsthought-oarc29.pdf>

<https://dnsthought.nlnetlabs.nl/>




RIPE RIS: Zombie Routes?

Collaborator: Romain Fontugne

Challenge: Is A Route Withdrawn?



- Zombie Routes: Routing table entries for routes that are withdrawn from origin



Challenge: Is A Route Withdrawn?




- Zombie Routes: Routing table entries for routes that are withdrawn from origin


Bert Hubert/PowerDNS
@PowerDNS_Bert

Follow

After 3072 hours of manipulating BGP,
@JobSnijders has succeeded in drawing a
Nyancat on the RIPE statmon interface.
tinyurl.com/nyancatbgp



Example: Long Lived



Tons of BGP updates
Route totally withdrawn only after
manual intervention

Confusing if you want to know: Is this routed publicly?

BGP Beacons




Current RIS Routing Beacons

Note: IPv6 beacons and anchors are now being announced from the RRCs. See below for details.

All RRCs:

- Announcements at 00:00, 04:00, 08:00, 12:00, 16:00, 20:00 (UTC)
- Withdrawals at 02:00, 06:00, 10:00, 14:00, 18:00, 22:00 (UTC)



BGP Beacons




Current RIS Routing Beacons

Note: IPv6 beacons and anchors are now being announced from the RRCs. See below for details.

All RRCs:

- Announcements at 00:00, 04:00, 08:00, 12:00, 16:00, 20:00 (UTC)
- Withdrawals at 02:00, 06:00, 10:00, 14:00, 18:00, 22:00 (UTC)



BGP Beacons




Current RIS Routing Beacons

Note: IPv6 beacons and anchors are now being announced from the RRCs. See below for details.

All RRCs:

- Announcements at 00:00, 04:00, 08:00, 12:00, 16:00, 20:00 (UTC)
- Withdrawals at 02:00, 06:00, 10:00, 14:00, 18:00, 22:00 (UTC)



BGP Zombies Conclusions




- Made us look hard and long at our infrastructure
- Existence is commonly known among netops
 - Hard to debug
- One vendor identified by operator, but needs proof of incorrect behaviour



RIPE RIS: Bias?

Collaborator: Romain Fontugne

How Important is network X for you?






Counter Bias with AS Hegemony



- Remove bias with trimmed averaging

- “AS Hegemony” scores




<https://ihr.ijl.net/ihr/>



RIPE RIS: Outages

Collaborator: Collin Anderson


RIS Outage Detection



<https://github.com/emileaben/resource-gnuplotter>

<https://labs.ripe.net/Members/emileaben/internet-access-disruption-in-the-gambia-2016>

Even better: Combine with Atlas!



<https://labs.ripe.net/Members/emileaben/the-internet-in-north-korea-hanging-by-a-single-thread>




RIPE RIS: Tracking Technology Deployment


Longitudinal view




- Tracking IPv6: <https://v6asns.ripe.net/>



Tracking Large BGP Communities



rrc19
rrc20
rrc21
all RRCs



rrc19
rrc20
rrc21
all RRCs

<https://labs.ripe.net/Members/emileaben/bgp-large-communities-uptake-by-the-community-at-large>



**But ... The Main
Challenge/Opportunity?**

Main Challenge/Opportunity





- Many challenges and opportunities around RIPE Atlas and RIPE RIS

- Main Opportunity:

Collaboration

- We are open to collaborate



Collaboration Possibilities



- We can help:
 - Understand/analyse data
 - Schedule (large scale) measurements
 - Collaborate on projects
- Open Code (Github) / Open Data
- Communication with Internet community
 - <https://labs.ripe.net/> / RIPE meetings / RACI
- Hackathons: <https://labs.ripe.net/hackathons>
- Students/Internships



Questions



emile.aben@ripe.net

↗ not a typo

twitter: [@meileaben](https://twitter.com/meileaben)

mastodon: [@meileaben@vis.social](https://vis.social/@meileaben)

↗ not a typo